

Amendment and Response to Office Action
Serial No. 09/744,489
Page 2 of 9

Claim Listing

This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Previously presented) A method for detecting the presence of a target nucleic acid sequence in a sample, said method comprising:

(a) amplifying said target nucleic acid and introducing a purine rich region into the target sequence during the amplification, wherein the resulting target sequence is able to bind a peptide nucleic acid, and contacting the sample with a peptide nucleic acid able to bind at least a portion of the target sequence; and

(b) detecting the presence of triplex structures resulting from the binding of the amplified target sequence to the peptide nucleic acid,

wherein the detection of the presence of triplex structures indicates the presence of target nucleic acid sequences in the sample.

2. (Original) A method according to claim 1 wherein the peptide nucleic acid is bis-PNA.

3-4. (Cancelled)

5. (Original) A method according to claim 1 wherein the amplification reaction is a polymerase chain reaction.

6. (Previously presented) A method for detecting the presence of a target nucleic acid sequence that contains a purine rich region in the sequence, said method comprising:

(a) amplifying said target nucleic acid so that the product of the amplification reaction includes the purine rich region, wherein the resulting target sequence

Amendment and Response to Office Action
Serial No. 09/744,489
Page 3 of 9

is able to bind a peptide nucleic acid, contacting the sample with a peptide nucleic acid able to bind at least a portion of said target sequence; and

(b) detecting the presence of triplex structures formed by the product of the amplification reaction and the peptide nucleic acid,

wherein the detection of the presence of triplex structures indicates the presence of target nucleic acid sequences in the sample.

7. (Canceled)

8. (Previously presented) A method according to claim 1 wherein primers used in the amplification comprise a plurality of pyrimidines at the 5' end thereof.

9. (Original) A method according to claim 1 wherein the peptide nucleic acid is immobilized on a support.

10. (Original) A method according to claim 9 wherein the support is a waveguide of a detection device.

11. (Original) A method according to claim 10 wherein the detection device is a surface plasmon resonance detector.

12. (Original) A method according to claim 1 wherein the triplex structure is detected by a gel retardation method.

13-17. (Canceled)

18. (Previously presented) A method for detecting the presence of a target nucleic acid sequence in a sample, comprising

Amendment and Response to Office Action
Serial No. 09/744,489
Page 4 of 9

(a) amplifying the target nucleic acid so that the product of the amplification reaction includes a purine rich region;

(b) contacting the sample with a wave guide of an evanescent wave guide detector on which is immobilized a peptide nucleic acid able to bind at least a portion of the target sequence; and

(c) detecting the presence of triplex structures formed by the product of the amplification reaction and the peptide nucleic acid on the wave guide using the detector.

19. (Previously presented) The method of claim 18 wherein the evanescent wave guide detector is a surface plasmon resonance detector.

20. (Previously presented) The method of claim 18 wherein the amplification product is exposed to the peptide nucleic acid during or after the amplification reaction.

21. (Previously presented) The method of claim 20 wherein the amplification product is exposed to the peptide nucleic acid after completion of the amplification reaction.

22. (Previously presented) The method of claim 6 wherein the amplification reaction is a polymerase chain reaction.

23. (Previously presented) The method of claim 6 wherein the peptide nucleic acid is immobilized on a support.

24. (Previously presented) The method of claim 6 wherein the triplex structure is detected by a gel retardation method.

25. (New) A kit for detecting the presence of a target nucleic acid sequence in a sample, wherein the kit comprises

Amendment and Response to Office Action
Serial No. 09/744,489
Page 5 of 9

a) a peptide nucleic acid sequence that is specific for the target sequence, wherein the peptide nucleic acid sequence is designed to form a triplex with the target sequence and the peptide nucleic acid sequence is immobilized on a waveguide of an evanescent wave detector apparatus; and

b) a set of amplification primers that can amplify a sequence comprising the target sequence.

26. (New) The kit of Claim 25, wherein the evanescent wave detector apparatus is a surface plasmon resonance detector.